



August 21, 2010

Ms. Grissel V. Diaz-Cotto  
Emergency and Remedial Response Division  
United States Environmental Protection Agency  
Region II  
290 Broadway, 19<sup>th</sup> Floor  
New York, NY 10007-1866

**Re: July 2010 Discharge Monitoring Report  
Leachate Treatment Plant, Operable Unit 1  
Kin-Buc Landfill Superfund Site**

Dear Ms. Diaz-Cotto:

Please find enclosed the July 2010 Discharge Monitoring Report (DMR) for the Leachate Treatment Plant of Operable Unit One at the Kin-Buc Landfill Superfund Site.

Weston & Sampson Services, Inc. would like to note the following:

- Please note that weekly effluent SVOC samples, collected on July 8 and July 27, were analyzed beyond method-acceptable holding times due to laboratory error. Documentation from the laboratory detailing these errors has been included in this DMR package.

Should you have any questions concerning this DMR or the Treatment Plant, please contact me at your earliest convenience at the Kin-Buc site.

Very truly yours,  
Weston & Sampson Services, Inc., on behalf of SCA Services, Inc.

  
Glenn Grieb  
Plant Manager

Enclosure

Cc: Martha Goodwin – NJDEP  
Stephen Joyce – SC Holdings, Inc.  
Carl Januszkiewicz – SC Holdings, Inc.  
John A. Bocchino, Jr. – Weston & Sampson Services, Inc.

307574



**Massachusetts**

Five Centennial Drive (HQ)  
Peabody, MA 01960-7985

**Connecticut**

273 Dividend Road  
Rocky Hill, CT 06067

**Rhode Island**

477B Tiogue Avenue  
Coventry, RI 02816

**New Hampshire**

100 International Drive  
Suite 152  
Portsmouth, NH 03801

**Maine**

PO Box 189  
York, ME 03909

**Vermont**

96 South Main Street  
Suite 2  
Waterbury, VT 05676

**New York**

301 Manchester Road  
Suite 201A  
Poughkeepsie, NY 12603

**Florida**

1990 Main Street  
Suite 750  
Sarasota, FL 34236

One Trowbridge Road, Suite 750  
Bourne, MA 02532

*When it's essential...it's Weston&Sampson.®*



THE LEADER IN ENVIRONMENTAL TESTING

August 23, 2010

Mr. Glenn Grieb  
Weston & Sampson Engineers  
383 Meadow Road  
Edison, NJ 08817

RE: July 2010 Kin-Buc Landfill Week 1 SVOC Analysis

Dear Mr. Grieb:

The TestAmerica Edison project manager assigned to your account resigned his position on July 19, 2010. The SVOC sample collected July 8, 2010, Eff Grab (460-15009-1), was to be subcontracted to the TestAmerica Connecticut Lab for analysis by Method 625. However, the Edison PM failed to notify the shipping department to send the sample and the sample was not shipped to TA CT. It was not until 07/26/10 that the CT SVOC department questioned the sample in transit. At that time, the sample was outside method holding time for extraction. Edison contacted Weston & Sampson and they requested the sample be shipped to CT and analyzed outside holding time.

As a corrective action, all analyst/prep backlogs are now set up to view samples in transit. The analysts/prep personnel have been notified that they are to question samples in transit before holding times and due dates have expired to prevent similar issues from occurring.

We apologize for the inconvenience that this may cause and we will make every effort to monitor future samples to other TestAmerica laboratories to verify sample receipt. Should you have any questions, please feel free to contact me at any time.

Sincerely,

**TOM TANICO**  
Project Manager

**TestAmerica**  
THE LEADER IN ENVIRONMENTAL TESTING

777 New Durham Road  
Edison, NJ 08817  
Tel 732.593.2555 | Fax 732.549.3679  
[www.testamericainc.com](http://www.testamericainc.com)



THE LEADER IN ENVIRONMENTAL TESTING

August 23, 2010

Mr. Glenn Grieb  
Weston & Sampson Engineers  
383 Meadow Road  
Edison, NJ 08817

RE: July 2010 Kin-Buc Landfill Week 4 SVOC Analysis

Dear Mr. Grieb:

Sample Eff Grab (460-15685-1) collected July 27, 2010, was extracted beyond the recommended holding time for Method 625. The sample was incorrectly logged in as a subcontract to the TestAmerica Connecticut laboratory. However, as the Week 4 sample is normally analyzed at the Edison lab, the Project Manager assumed the test was logged in for the Edison lab did not notice the error. It was not until 08/13/10 that the CT SVOC department questioned the sample in transit. At that time, the sample was outside method holding time for extraction. The sample was extracted outside of the holding time and analyzed.

As a corrective action, all analyst/prep backlogs are now set up to view samples in transit. The analysts/prep personnel have been notified that they are to question samples in transit before holding times and due dates have expired to prevent similar issues from occurring.

We apologize for the inconvenience that this has caused and we will make every effort to monitor future samples for this project so that all analyses are performed within recommended holding times. Should you have any questions, please feel free to contact me at any time.


Sincerely,

**TOM TANICO**  
Project Manager

**TestAmerica**  
THE LEADER IN ENVIRONMENTAL TESTING

777 New Durham Road  
Edison, NJ 08817  
Tel 732.593.2555 | Fax 732.549.3679  
[www.testamericainc.com](http://www.testamericainc.com)



Name (Printed) Glenn Grieb  
 Title (Printed) Plant Operations Manager  
 Signature 

Date August 23, 2010[illegible]

MONTH 

0	7
---	---

 YEAR 

1	0
---	---

**Day of Month**  
**Licensed Operator**  
**Others**

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
8	8	0	0	0	8	0	8	8	0	0	8	8	0	8	8
4	4	0	0	0	8	8	8	8	4	4	0	8	8	8	8
17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
0	08	8	0	0	0	0	0	0	0	0	8	0	0	0	
4	4	4	4	8	8	8	4	4	8	8	8	8	4	0	

PERMITTEE NAME/ADDRESS  
NAME  
ADDRESS

FACILITY  
LOCATION

SCA SERVICES, INC.  
383 MEADOW ROAD  
EDISON, NEW JERSEY 08817  
  
KIN-BUC LANDFILL  
EDISON, NEW JERSEY  
CARL JANUSZKIEWICZ

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM  
DISCHARGE MONITORING REPORT

NJ PERMIT EQUIVALENT			001		
PERMIT NUMBER			DISCHARGE NUMBER		
MONITORING PERIOD					
YEAR	MO	DAY	YEAR	MO	DAY
10	07	01	10	07	31

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
FLOW	SAMPLE MEASUREMENT	0.023299	0.038558	MGD	*****	*****	*****	***	***	continuous	flow meter
	PERMIT REQUIREMENT	REPORT	ONLY		*****	*****	*****			continuous	flow meter
pH	SAMPLE MEASUREMENT	*****	*****	***	7.31	*****	8.42	S.U.	0	1/week	grab
	PERMIT REQUIREMENT	*****	*****		8.0	*****	9.0			weekly	grab
PETROLEUM HYDROCARBONS	SAMPLE MEASUREMENT	*****	*****	***	*****	0.84	1.2	mg/l	0	2/month	grab
	PERMIT REQUIREMENT	*****	*****		*****	10	15			2/month	grab
COD	SAMPLE MEASUREMENT	20.51	25.47	kg/day	*****	230	230	mg/l	0	2/month	comp.
	PERMIT REQUIREMENT	REPORT	ONLY		*****	REPORT	ONLY			2/month	comp.
BOD	SAMPLE MEASUREMENT	*****	*****	***	*****	<5.5	<5.5	mg/l	0	2/month	comp.
	PERMIT REQUIREMENT	*****	*****		*****	56	220			2/month	comp.
TOTAL SUSPENDED SOLIDS	SAMPLE MEASUREMENT	0.46	0.55	kg/day	*****	5.35	7.00	mg/l	0	1/week	comp.
	PERMIT REQUIREMENT	REPORT	ONLY		*****	30	45(1)			weekly	comp.
DISSOLVED OXYGEN	SAMPLE MEASUREMENT	*****	*****	***	5.96	*****	*****	mg/l	0	1/week	grab
	PERMIT REQUIREMENT	*****	*****		4.0 MIN instantaneous	*****	*****			weekly	grab
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		I certify under penalty of law that I have personally examined and I am familiar with the information submitted herein, and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment. See 18 U.S.C. 1001 & 33 U.S.C. 1319. (Penalties under these statutes may include fines up to \$10,000 and or maximum imprisonment of between 6 months and 5 years)					TELEPHONE		DATE		
Glenn Grieb Project Manager							732 572-4743		10 08 23		
TYPED OR PRINTED		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT					AREA CODE	NUMBER	YEAR MO DAY		

COMMENTS AND EXPLANATIONS OF ANY VIOLATIONS

(REFERENCE ALL ATTACHMENTS HERE)

PERMITTEE NAME/ADDRESS

NAME

ADDRESS

FACILITY

LOCATION

ATTN:

**SCA SERVICES, INC.  
383 MEADOW ROAD  
EDISON, NEW JERSEY 08817**

**KIN-BUC LANDFILL  
EDISON, NEW JERSEY  
CARL JANUSZKIEWICZ**

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM  
DISCHARGE MONITORING REPORT

NJ PERMIT EQUIVALENT			001		
PERMIT NUMBER			DISCHARGE NUMBER		
MONITORING PERIOD					
YEAR	MO	DAY	YEAR	MO	DAY
10	07	01	10	07	31

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
BENZENE	SAMPLE MEASUREMENT	<0.0000180	<0.0000178	kg/day	*****	<0.20	<0.28	ug/L	0	2/month	grab
	PERMIT REQUIREMENT	0.008	0.02		*****	57	334				
CHLOROBENZENE	SAMPLE MEASUREMENT	<0.0000197	<0.0000218	kg/day	*****	<0.24	<0.32	ug/L	0	2/month	grab
	PERMIT REQUIREMENT	0.022	0.058		*****	142	380				
1,1 DICHLOROETHENE	SAMPLE MEASUREMENT	<0.0000123	<0.0000135	kg/day	*****	<0.15	<0.20	ug/L	0	2/month	grab
	PERMIT REQUIREMENT	0.008	0.009		*****	22	59				
ETHYLBENZENE	SAMPLE MEASUREMENT	<0.0000307	<0.0000338	kg/day	*****	<0.38	<0.50	ug/L	0	2/month	grab
	PERMIT REQUIREMENT	0.022	0.058		*****	142	380				
TETRACHLOROETHYLENE	SAMPLE MEASUREMENT	<0.0000248	<0.0000270	kg/day	*****	<0.30	<0.40	ug/L	0	2/month	grab
	PERMIT REQUIREMENT	0.008	0.025		*****	82	184				
TOLUENE	SAMPLE MEASUREMENT	<0.0000111	<0.0000122	kg/day	*****	<0.14	<0.18	ug/L	0	2/month	grab
	PERMIT REQUIREMENT	0.004	0.011		*****	28	74				
1,2-TRANSDICHLOROETHYLENE	SAMPLE MEASUREMENT	<0.0000172	<0.0000189	kg/day	*****	<0.21	<0.28	ug/L	0	2/month	grab
	PERMIT REQUIREMENT	0.004	0.009		*****	25	80				
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		I certify under penalty of law that I have personally examined and I am familiar with the information submitted herein, and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment. See 18 U.S.C. 1001 & 33 U.S.C. 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months and 5 years)				SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT		TELEPHONE		DATE	
Glenn Grieb Project Manager						732 572-4743		10 08 23			
TYPED OR PRINTED		AREA CODE		NUMBER		YEAR		MO		DAY	
COMMENTS AND EXPLANATIONS OF ANY VIOLATIONS		(REFERENCE ALL ATTACHMENTS HERE)									

PERMITTEE NAME/ADDRESS

NAME  
ADDRESS

FACILITY  
LOCATION  
ATTN:

SCA SERVICES, INC.  
383 MEADOW ROAD  
EDISON, NEW JERSEY 08817

KIN-BUC LANDFILL  
EDISON, NEW JERSEY  
CARL JANUSZKIEWICZ

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM  
DISCHARGE MONITORING REPORT

NJ PERMIT EQUIVALENT			001			
PERMIT NUMBER			DISCHARGE NUMBER			
MONITORING PERIOD						
YEAR	MO	DAY	TO	YEAR	MO	DAY
10	07	01		10	07	31

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
TRICHLOROETHYLENE	SAMPLE MEASUREMENT	<0.0000221	<0.0000243	kg/day	*****	<0.27	<0.36	ug/L	0	2/month	grab
	PERMIT REQUIREMENT	0.004	0.010		*****	26	69			2/month	grab
VINYL CHLORIDE	SAMPLE MEASUREMENT	<0.0000141	<0.0000176	kg/day	*****	<0.16	<0.26	ug/L	0	1/week	grab
	PERMIT REQUIREMENT	0.008	0.016		*****	52.8	106			weekly	grab
ACENAPHTHYLENE	SAMPLE MEASUREMENT	<0.0000312	<0.0000388	kg/day	*****	<0.350	<0.350	ug/L	0	1/month	grab
	PERMIT REQUIREMENT	0.00026	0.00052		*****	1.72	3.43			monthly	grab
BENZO(A)ANTHRACENE	SAMPLE MEASUREMENT	<0.0000276	<0.0000343	kg/day	*****	<0.31	<0.31	ug/L	0	1/month	grab
	PERMIT REQUIREMENT	0.00026	0.00052		*****	1.72	3.43			monthly	grab
BENZO(A)PYRENE	SAMPLE MEASUREMENT	<0.0000321	<0.0000399	kg/day	*****	<0.360	<0.360	ug/L	0	1/month	grab
	PERMIT REQUIREMENT	0.00026	0.00052		*****	1.72	3.43			monthly	grab
BENZO(ghi)PERYLENE	SAMPLE MEASUREMENT	<0.0000339	<0.0000421	kg/day	*****	<0.380	<0.380	ug/L	0	1/month	grab
	PERMIT REQUIREMENT	0.00026	0.00052		*****	1.72	3.43			monthly	grab
BENZO(k)FLUORANTHENE	SAMPLE MEASUREMENT	<0.0000375	<0.0000485	kg/day	*****	<0.420	<0.420	ug/L	0	1/month	grab
	PERMIT REQUIREMENT	0.00026	0.00052		*****	1.72	3.43			monthly	grab
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		I certify under penalty of law that I have personally examined and I am familiar with the information submitted herein, and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment. See 18 U.S.C. 1001 & 33 U.S.C. 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months and 5 years)				TELEPHONE		DATE			
Glenn Grieb Project Manager											
TYPED OR PRINTED		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT				732 572-4743		10 08 23			
COMMENTS AND EXPLANATIONS OF ANY VIOLATIONS		(REFERENCE ALL ATTACHMENTS HERE)				AREA CODE NUMBER		YEAR MO DAY			

<0.00017




PERMITTEE NAME/ADDRESS  
NAME  
ADDRESS

FACILITY  
LOCATION  
ATTN:

SCA SERVICES, INC.  
383 MEADOW ROAD  
EDISON, NEW JERSEY 08817  
  
KIN-BUC LANDFILL  
EDISON, NEW JERSEY  
CARL JANUSZKIEWICZ

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM  
DISCHARGE MONITORING REPORT

NJ PERMIT EQUIVALENT			001			
PERMIT NUMBER			DISCHARGE NUMBER			
MONITORING PERIOD						
YEAR	MO	DAY	TO	YEAR	MO	DAY
10	07	01		10	07	31

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE	
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS				
IDENO(1,2,3cd) PYRENE	SAMPLE MEASUREMENT	<0.0000259	<0.0000321	kg/day	*****	<0.290	<0.290	ug/L	0	1/month	grab	
	PERMIT REQUIREMENT	0.000026	0.000052		*****	1.72	3.48			monthly	grab	
PHENANTHRENE	SAMPLE MEASUREMENT	<0.0001957	<0.0005052	kg/day	*****	2.0	4.0	ug/L	0	1/week	grab	
	PERMIT REQUIREMENT	REPORT	ONLY		*****	REPORT ONLY	5.4(2)			weekly	grab	
ALDRIN	SAMPLE MEASUREMENT	<0.0000009	<0.0000012	kg/day	*****	<0.011	<0.011	ug/L	0	1/month	grab	
	PERMIT REQUIREMENT	0.000133	0.00026		*****	0.0875	0.178			monthly	grab	
4,4-DDT	SAMPLE MEASUREMENT	<0.0000011	<0.0000014	kg/day	*****	<0.012	<0.012	ug/L	0	1/week	grab	
	PERMIT REQUIREMENT	0.0000578	0.000146		*****	0.38	0.765			weekly	grab	
PCB-1242	SAMPLE MEASUREMENT	<0.0000153	<0.0000202	kg/day	*****	<0.17	<0.18	ug/L	0	1/week	grab	
	PERMIT REQUIREMENT	REPORT	ONLY		*****	REPORT ONLY	0.5(2)			weekly	grab	
PCB-1248	SAMPLE MEASUREMENT	<0.0000202	<0.0000278	kg/day	*****	<0.22	<0.23	ug/L	0	1/week	grab	
	PERMIT REQUIREMENT	REPORT	ONLY		*****	REPORT ONLY	0.5(2)			weekly	grab	
PCB-1254	SAMPLE MEASUREMENT	<0.0000124	<0.0000164	kg/day	*****	<0.14	<0.14	ug/L	0	1/week	grab	
	PERMIT REQUIREMENT	REPORT	ONLY		*****	REPORT ONLY	0.5(2)			weekly	grab	
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		I certify under penalty of law that I have personally examined and I am familiar with the information submitted herein, and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment. See 18 U.S.C. 1001 & 33 U.S.C. 1319. (Penalties under these statutes may include fines up to \$10,000 and or maximum imprisonment of between 6 months and 5 years)						TELEPHONE		DATE		
Glenn Grieb Project Manager								732	572-4743	10	08	23
TYPED OR PRINTED						SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT		AREA CODE	NUMBER	YEAR	MO	DAY

COMMENTS AND EXPLANATIONS OF ANY VIOLATIONS

(REFERENCE ALL ATTACHMENTS HERE)


PERMITTEE NAME/ADDRESS  
NAME  
ADDRESS

FACILITY  
LOCATION  
ATTN:

SCA SERVICES, INC.  
383 MEADOW ROAD  
EDISON, NEW JERSEY 08817  
  
KIN-BUC LANDFILL  
EDISON, NEW JERSEY  
CARL JANUSZKIEWICZ

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM  
DISCHARGE MONITORING REPORT

NJ PERMIT EQUIVALENT PERMIT NUMBER			001 DISCHARGE NUMBER			
MONITORING PERIOD						
YEAR	MO	DAY	TO	YEAR	MO	DAY
10	07	01		10	07	31

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE	
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS				
PCB-1260	SAMPLE MEASUREMENT	<0.0000115	<0.0000152	kg/day	*****	<0.13	<0.13	ug/L	0	1/week	grab	
	PERMIT REQUIREMENT	REPORT	ONLY		*****	REPORT ONLY	0.5(2)			weekly	grab	
ARSENIC	SAMPLE MEASUREMENT	0.0005388	0.0008987	kg/day	*****	5.70	7.10	ug/L	0	1/week	comp	
	PERMIT REQUIREMENT	0.015	0.028		*****	85.8	172			weekly	comp	
CADMIUM	SAMPLE MEASUREMENT	<0.0000882	<0.0001212	kg/day	*****	1.0	1.0	ug/L	0	1/week	comp	
	PERMIT REQUIREMENT	0.0073	0.017		*****	48.2	112			weekly	comp	
CHROMIUM	SAMPLE MEASUREMENT	0.0002939	0.0004041	kg/day	*****	3.20	3.20	ug/L	0	1/week	comp	
	PERMIT REQUIREMENT	0.930	0.090		*****	198	368			weekly	comp	
COPPER	SAMPLE MEASUREMENT	0.0005174	0.0007767	kg/day	*****	5.6	6.2	ug/L	0	1/week	comp	
	PERMIT REQUIREMENT	REPORT	ONLY		*****	REPORT ONLY	10			weekly	comp	
LEAD	SAMPLE MEASUREMENT	0.0002572	0.0003536	kg/day	*****	2.80	2.80	ug/L	0	1/week	comp	
	PERMIT REQUIREMENT	REPORT	ONLY		*****	REPORT ONLY	10			weekly	comp	
NICKEL	SAMPLE MEASUREMENT	0.0032378	0.0045467	kg/day	*****	35.3	38.0	ug/L	0	1/week	comp	
	PERMIT REQUIREMENT	0.140	0.261		*****	824	1850			weekly	comp	
NAME/TITLE: PRINCIPAL EXECUTIVE OFFICER		I certify under penalty of law that I have personally examined and I am familiar with the information submitted herein, and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment. See 18 U.S.C. 1001 & 33 U.S.C. 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months and 5 years) (REFERENCE ALL ATTACHMENTS HERE)				 SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT		TELEPHONE		DATE		
Glenn Grieb Project Manager								732	572-4743	10	08	23
TYPED OR PRINTED								AREA CODE	NUMBER	YEAR	MO	DAY

COMMENTS AND EXPLANATIONS OF ANY VIOLATIONS

PERMITTEE NAME/ADDRESS  
NAME  
ADDRESS

SCA SERVICES, INC.  
383 MEADOW ROAD  
EDISON, NEW JERSEY 08817

FACILITY  
LOCATION  
ATTN:

KIN-BUC LANDFILL  
EDISON, NEW JERSEY  
CARL JANUSZKIEWICZ

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM  
DISCHARGE MONITORING REPORT

NJ PERMIT EQUIVALENT			001			
PERMIT NUMBER			DISCHARGE NUMBER			
MONITORING PERIOD						
YEAR	MO	DAY	TO	YEAR	MO	DAY
10	07	01		10	07	31

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
ZINC	SAMPLE MEASUREMENT	0.0057760	0.007199	kg/day	*****	6.5	8.9	ug/L	0	1/week	comp
	PERMIT REQUIREMENT	0.177	0.358		*****	1170	2850			weekly	comp
CYANIDE	SAMPLE MEASUREMENT	<0.0005511	<0.0007578	kg/day	*****	<8.0	<8.0	ug/L	0	1/week	comp
	PERMIT REQUIREMENT	0.002	0.004		*****	13.2	26.4			weekly	comp
ALUMINUM	SAMPLE MEASUREMENT	0.0128757	0.0188156	kg/day	*****	166.5	300.0	ug/L	0	1/week	comp
	PERMIT REQUIREMENT	1.40	2.81		*****	9240	18500			weekly	comp
IRON	SAMPLE MEASUREMENT	0.0093825	0.0169003	kg/day	*****	123.5	250.0	ug/L	0	1/week	comp
	PERMIT REQUIREMENT	89.8	182		*****	332000	6670000			weekly	comp
ACUTE TOXICITY, (LC50)	SAMPLE MEASUREMENT	QUARTELY	REPORT	***	n/a	*****	*****	%	0		
	PERMIT REQUIREMENT	*****	*****	*****	50(3)	*****	*****			test period	equivalent
Ammonia	SAMPLE MEASUREMENT	*****	*****	***	*****	0.840	1.3	mg/l	0	*****	*****
	PERMIT REQUIREMENT	*****	*****	*****	*****	4.8	10.0			2/month	comp
	SAMPLE MEASUREMENT	*****	*****	***	*****	*****	*****	***		*****	*****
	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	*****	*****		*****	
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		I certify under penalty of law that I have personally examined and am familiar with the information submitted herein, and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment. See 18 U.S.C. 1001 & 33 U.S.C. 1319. (Penalties under these statutes may include fines up to \$10,000 and or maximum imprisonment of between 6 months and 5 years)				732 572-4743		10 08 23			
Glenn Grieb Project Manager											
TYPED OR PRINTED		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT				AREA CODE NUMBER		YEAR MO DAY			
COMMENTS AND EXPLANATIONS OF ANY VIOLATIONS		(REFERENCE ALL ATTACHMENTS HERE)									